

# STRAGEN

SWISS HEALTH CARE COMPANY 

PHARMACEUTICALS PORTFOLIO



STRAGEN Pharma engages in the development, registration and supply of high quality generic drugs throughout close collaboration with carefully selected European CMOs.

Generic and Generic<sup>+</sup> drugs mainly focused on injectable anti-infective and oncology products, cardiology and gynaecology.

**ORAL** \_\_\_\_\_ 3  
STRAGEN specializes in the development and production management of complex low-concentration hormonal products, niche modified release drugs, and conventional release solid dosage forms.

**PARENTERAL** \_\_\_\_\_ 8  
STRAGEN develops and manages the manufacturing of high-quality parenteral drugs, such as antibiotics (including Penicillin) and highly potent cytostatic agents.

**TOPICAL** \_\_\_\_\_ 18  
STRAGEN offers expertise in the development and production of gels and creams.



## ORAL

STRAGEN specializes in the development and production management of complex low-concentration hormonal products, niche modified release drugs, and conventional release solid dosage forms.



## CARDIOLOGY

### URAPIDIL 30 mg, 60 mg, 90 mg

**Oral use**

Therapeutic Class:  
Antiadrenergic agent –  
peripherally acting

ATC code: C02CA06

Hypertension.

Prolonged-release capsule,  
hard Polypropylene bottle with polyethylene  
desiccant cap

Pack sizes: 30, 50, 60 (2x 30), 90 (3x 30)  
and 100 (2x 50) capsules

Shelf life:

- Climatic Zone II: 24 mths
- Climatic Zone IV: no data



## GYNAECOLOGY

### CYPROTERONE ACETATE / ETHINYLESTRADIOL 2 mg/0.035 mg

**Oral use**

Therapeutic Class:  
Anti-androgens  
and oestrogens

ATC code: G03HB01

Severe acne.

Coated tablet

PVC-Aluminium blister strip with 21 tablets

Pack sizes: 1x 21; 3x 21, 6x 21 coated tablets

Shelf life:

- Climatic Zone II: 36 mths
- Climatic Zone IV: 36 mths  
in Aluminium pouch



### DESOGESTREL 75 µg

**Oral use**

Therapeutic Class:  
Hormonal contraceptives  
for systemic use

ATC code: G03AC09

Oral contraception.

Film-coated tablet

PVC/PVDC-Aluminium blister strip with 28 film-coated tablets

Pack sizes: 28 (1x 28), 84 (3x 28), 168 (6x 28)  
film-coated tablets

Shelf life:

- Climatic Zone II: 36 mths
- Climatic Zone IV: 24 mths



## GYNAECOLOGY

### DESOGESTREL / ETHINYLESTRADIOL 150 µg/20 µg, 150 µg/30 µg

**Oral use**

Therapeutic Class:  
Hormonal contraceptives  
for systemic use

ATC code: G03AA09

Oral contraception.


Tablet

PVC-Aluminium blister strip with 21 tablets in Aluminium pouch

Pack sizes: 1x 21, 3x 21 and 6x 21 tablets

Shelf life:

- Climatic Zone II:  
30 mths (150 µg / 20 µg)  
36 mths (150 µg / 30 µg)
- Climatic Zone IV:  
30 mths (150 µg / 20 µg)  
24 mths (150 µg / 30 µg)



### DIENOGEST 2 mg

**Oral use**

Therapeutic Class:  
Progestogens

ATC code: G03DB08

Treatment of endometriosis.

Tablet

PVC-Aluminium blister strips with 14 tablets

Pack sizes: 2x 14; 6x 14 tablets

Shelf life:

- Climatic Zone II: 24 mths
- Climatic Zone IV: 24 mths



### DROSPIRENONE / ETHINYLESTRADIOL 3 mg/0.03 mg

**Oral use**

Therapeutic Class:  
Hormonal contraceptives  
for systemic use

ATC code: G03AA12

Oral contraception.

Film-coated tablet

PVC-Aluminium blister strips with 21 tablets

Pack sizes: 1x 21, 3x 21, 6x 21 film-coated tablets

Shelf life:

- Climatic Zone II: 36 mths
- Climatic Zone IV: 36 mths



### GESTODENE / ETHINYLESTRADIOL 75 µg/20 µg, 75 µg/30 µg

**Oral use**

Therapeutic Class:  
Hormonal contraceptives  
for systemic use

ATC code: G03AA10

Oral contraception.

Coated tablet

PVC-Aluminium blister strip with 21 tablets

Pack sizes:  
1 x 21, 3 x 21, 6 x 21 tablets

Shelf life:

- Climatic Zone II: 36 mths
- Climatic Zone IV: 36 mths  
in Aluminium pouch



## GYNAECOLOGY

### GESTODENE / ETHINYLESTRADIOL 60 µg/15 µg

<b>Oral use</b>	Film-coated tablet PVC-Aluminium blister strip with 24 + 4 tablets
Therapeutic Class:	
Hormonal contraceptives for systemic use	Pack sizes: 1 x 28, 3 x 28, 6 x 28 tablets
ATC code: G03AA10	Shelf life: - Climatic Zone II: 36 mths - Climatic Zone IV: no data
Oral contraception.	



### NOMEGESTROL ACETATE 5 mg

<b>Oral use</b>	Breakable tablet PVC-Aluminium blister strip with 10 or 14 tablets
Therapeutic Class:	
Progestogens	Pack sizes: 10, 30, 42, 60, 84 and 90 tablets
ATC code: G03DB04	Shelf life / Storage Conditions: - Climatic Zone II: 36 mths - Climatic Zone IV: 24 mths in Aluminium pouch
Treatment of menstrual cycle disorders due to absence or low secretion of progesterone in premenopausal women. In post-menopausal women as hormone replacement therapy (HRT) for estrogen deficiency symptoms in combination with estrogens.	



## HORMONE DISORDERS

### CYPROTERONE ACETATE 50 mg

<b>Oral use</b>	Tablet PVC-Aluminium blister strip with 10/28 tablets
Therapeutic Class:	
Antiandrogens	Pack sizes: 10, 20, 56, 84 and 168 tablets
ATC code: G03HA01	Shelf life: - Climatic Zone II: 36 mths - Climatic Zone IV: 36 mths
Control of libido in severe hypersexuality and/or sexual deviation in the adult male. Treatment of prostate cancer.	





## ONCOLOGY

### CYPROTERONE ACETATE 50 mg, 100 mg

#### Oral use

Therapeutic Class:

Antiandrogens

ATC code: G03HA01

Prostatic cancer.

Tablet

PVC-Aluminium blister strip with 10/28 tablets (CPA50) and 10/12 tablets (CPA100)

Pack sizes:

10, 20, 56, 84 and 168 tablets

Shelf life:

- Climatic Zone II: 36 mths

- Climatic Zone IV: 36 mths



## PHLEBOLOGY

### DIOSMINE 600 mg

#### Oral use

Therapeutic Class:

Cardiovascular system – capillary stabilizing agent

ATC code: C05CA03

Improvement of symptoms of venous insufficiency of the lower limbs, e.g. heavy legs and pain, complaints resulting from bedsores.

Symptomatic treatment of haemorrhoidal crisis.

Tablet

PVC-Aluminium blister strip with 15 tablets

Pack sizes: 15 and 30 tablets

Shelf life:

- Climatic Zone II: 36 mths

- Climatic Zone IV: no data





## PARENTERAL

STRAGEN develops and manages the manufacturing of high-quality parenteral drugs, such as antibiotics (including Penicillin) and highly potent cytostatic agents.





## ANTI-INFECTIVES

### CEFEPIME 1g, 2g

#### Intravenous use

Therapeutic Class:  
Other beta-lactam antibacterials,  
4<sup>th</sup> generation cephalosporins

ATC code: J01DE01

Treatment of infections caused by cefepime- susceptible pathogens, such as pneumonia, urinary tract infections, infections of the abdomen including peritonitis, the gall bladder and bile ducts; in patients with bacteraemia and for the empirical treatment of febrile episodes in patients with neutropenia.

Powder for solution for injection/ infusion

Glass vial

Pack sizes: 1 and 10 vials

Shelf life:

- Climatic Zone II: 36 mths

- Climatic Zone IV: no data



### CEFOTAXIME 0.5g, 1g, 2g

#### Intravenous use

Therapeutic Class:  
Other beta-lactam antibacterials;  
3<sup>rd</sup> generation cephalosporins

ATC code: J01DD01

Treatment of severe infections caused by bacteria sensitive to cefotaxime, such as bacterial pneumonia, infections of the kidneys and upper urinary tract, the skin and soft tissues; intra-abdominal infections (including peritonitis); acute bacterial meningitis (especially caused by H. Influenzae, N. meningitis, E. coli, Klebsiella strains); Sepsis.

Powder for solution for injection/ infusion

Glass vial

Pack size: 10 vials

Shelf life / storage conditions:

- Climatic Zone II: 36 mths

- Climatic Zone IV: 36 mths,  
do not store above 25°C.



## ANTI-INFECTIVES

### **CEFTAZIDIME 250 mg, 500 mg, 1 g, 2 g, 3 g, 6 g**

#### **Intravenous / Intramuscular use**

Therapeutic Class:  
Other beta-lactam antibacterials,  
3<sup>rd</sup> generation cephalosporins

ATC code: J01DD02

Treatment for nosocomial pneumonia; broncho-pulmonary infections in cystic fibrosis; bacterial meningitis; chronic suppurative otitis media and malignant otitis externa; infections of the urinary tract, the skin and soft tissue, the bone and joint; intra-abdominal infections; peritonitis associated with dialysis in patients on CAPD; bacteraemia; neutropenic patients with fever that is suspected to be due to a bacterial infection.

Powder for solution for injection/infusion  
Glass vial

Pack size: 1 and 10 vials

Shelf life / Storage Conditions:

- Climatic Zone II: 36 mths
- Climatic Zone IV: 36 mths;
- do not store above 25°C.



### **CEFTRIAXONE 500 mg, 1 g, 2 g, 10 g**

#### **Intravenous / Intramuscular use**

Therapeutic Class:  
Other beta-lactam antibacterials,  
3<sup>rd</sup> generation cephalosporins

ATC code: J01DD04

Treatment for bacterial meningitis; pneumonia; acute otitis media, intra-abdominal infections; urinary tract infections including pyelonephritis; infections of bones and joints, the skin and soft tissue; gonorrhoea; syphilis; bacterial endocarditis.

Powder for solution for injection  
Glass vial

Pack size: 1 or 10 vials

Shelf life:

- Climatic Zone II: 36 mths
- Climatic Zone IV: 36 mths



## ANTI-INFECTIVES

### CEFUROXIME 250 mg, 750 mg, 1.5 g

#### Intravenous / Intramuscular use

Therapeutic Class:  
Other beta-lactam antibacterials,  
2<sup>nd</sup> generation cephalosporins

ATC code: J01DC02

Treatment for community acquired pneumonia; acute exacerbations of chronic bronchitis; urinary tract infections including pyelonephritis; soft-tissue infections, intra-abdominal infections; prophylaxis against infection in surgery.

Powder for solution for injection / infusion

Glass vial

Pack size: 10 vials

Shelf life:

- Climatic Zone II: 24 mths

- Climatic Zone IV: 36 mths



### CLOXACILLINE 500 mg, 1 g , 2 g, 10 g

#### Intramuscular / Intravenous use

Therapeutic Class:  
Beta-lactam antibacterials;  
betalactamase resistant penicillins

ATC code: J01CF02

Treatment of infections caused by penicillinase producing staphylococci as skin and soft tissue infections, endocarditis, osteomyelitis and sepsis.

Powder for solution for injection / infusion

Glass vial

Pack sizes: 1 and 10 vials

Shelf life:

- Climatic Zone II:

36 mths

- Climatic Zone IV:

36 mths



### ERYTHROMYCINE 1 g

#### Intravenous use

Therapeutic Class:  
Macrolides, lincosamides  
and streptogramins

ATC code: J01FA01

Treatment of nosocomial pneumonia; skin and soft tissue infections in patients who are hypersensitive to penicillin or where penicillin is unsuitable for other reasons.

Powder for solution for infusion

Glass vial

Pack size: 1 and 10 vials

Shelf life:

- Climatic Zone II: 36 mths

- Climatic Zone IV: no data



## ANTI-INFECTIVES

### FLUCLOXACILLINE 1 g, 2 g

**Intravenous / Intramuscular /  
Intraarticular / Intrapleural use**

Therapeutic Class:  
Beta-lactam antibacterials;  
betalactamase resistant penicillins

ATC code: J01CF05

Treatment of acute and chronic infections caused by flucloxacillin sensitive penicillinase producing staphylococci (with the exception of methicillin-resistant staphylococci (MRSA/MRSE)) in the respiratory tract, of the skin, mucosa and soft tissue as well as of the bones and bone marrow.

Powder for solution for injection / infusion  
Glass vial

Pack sizes: 1, 5, 10, 25, 50 and 100 vials

Shelf life:  
- Climatic Zone II: 36 mths  
- Climatic Zone IV: 36 mths



### PIPERACILLIN / TAZOBACTAM

**2 g/250 mg, 3 g/375 mg, 4 g/500 mg, 12 g/1.5 g, 36 g/4.5 g**

**Intravenous use**

Therapeutic Class:  
Beta-lactam antibacterials,  
penicillins

ATC code: J01CR05

Treatment of severe pneumonia, complicated infections of urinary tract, intra-abdominal, skin and soft tissue infections (including diabetic foot infections), in patients with bacteraemia, neutropenic patients with fever suspected to be due to a bacterial infection.

Powder for solution for infusion

Pack sizes: 1, 5, 10 and 12 vials

Shelf life / Storage Conditions:

- Climatic Zone II: 24 mths;  
do not store above 25°C.  
- Climatic Zone IV: 24 mths;  
do not store above 25°C.





## CARDIOLOGY

### AMIODARONE 50 mg/ml

#### Intravenous use

Therapeutic Class:  
Antiarrhythmics (Class III)

ATC code: C01BD01

Treatment of severe rhythm disorders not responding to other therapies or when other treatments cannot be used.

Concentrate for solution for injection / infusion  
3 ml in glass ampoule

Pack sizes: 5 and 10 ampoules

Shelf life / Storage Conditions:  
24 mths; store in a refrigerator  
(2°C to 8°C).



### MILRINONE 1 mg/ml

#### Intravenous use

Therapeutic Class:  
Cardiac stimulants excl. cardiac  
glycosides

ATC code: C01CE02

Short-term treatment of severe  
congestive and acute heart failure.

Concentrate for solution for infusion  
10 ml and 20 ml glass ampoule

Pack sizes:  
1, 3, 5 and 10 ampoules

Shelf life:  
- Climatic Zone II: 36 mths  
- Climatic Zone IV: 36 mths



### URAPIDIL 5 mg/ml

#### Intravenous use

Therapeutic Class:  
Antiadrenergic agent –  
peripherally acting

ATC code: C02CA06

Hypertensive emergencies, severe  
and very severe forms of hypertensive  
disease, hypertension resistant to  
treatment.

Controlled lowering of blood pressure  
in hypertensive patients during and/or  
after surgery.

Possible to overlap acute parenteral  
therapy with changing to continuous  
treatment with oral agents that lower  
blood pressure; e.g. Urapidil Stragen  
prolonged-release capsules, hard  
30 mg, 60 mg or 90 mg.

Solution for injection /  
Concentrate for solution for infusion  
5 ml, 10 ml and 20 ml in glass ampoule

Pack size: 5 ampoules

Shelf life / Storage Conditions:  
- Climatic Zone II: 36 mths;  
do not store above 30°C.  
- Climatic Zone IV: 36 mths;  
do not store above 25°C.





## EPILEPSY

### LEVETIRACETAM 5 mg/ml, 10 mg/ml, 15 mg/ml

#### Intravenous use

Therapeutic Class: Antiepileptics

ATC code: N03AX14

Monotherapy in the treatment of partial onset seizures with or without secondary generalisation in adults and adolescents from 16 years of age with newly diagnosed epilepsy.

Ready-to-use solution for infusion  
100 ml Nexcel® dual port bag

Pack size: 10 bags

Shelf life:

- Climatic Zone II: 36 mths
- Climatic Zone IV: no data



## GYNAECOLOGY

### ATOSIBAN 7.5 mg/ml

#### Intravenous use

Therapeutic Class:  
Genito urinary system and sex hormones – other gynecologicals

ATC code: G02CX01

Indicated to delay imminent pre-term birth in pregnant adult women.

Solution for injection /  
Concentrate for solution for infusion  
0.9 ml (6.75 mg) and  
5 ml (37.5 mg) in vial

Pack size: 1 vial

Shelf life / Storage Conditions:

- Climatic Zone II: 30 mths;  
store in a refrigerator (2°C to 8°C).
- Climatic Zone IV: no data



## HAEMORRHAGE

### TRANEXAMIC ACID 100 mg/ml

#### Intravenous use

Therapeutic Class: Antifibrinolytics

ATC code: B02AA02

Prevention and treatment of haemorrhages due to general and local fibrinolysis in adults and children.

Solution for injection  
5 ml and 10 ml glass ampoules

Pack size: 5 ampoules

Shelf life:

- Climatic Zone II: 36 mths
- Climatic Zone IV: no data





## HAEMATOLOGY

### COAGULATION FACTOR VIIA (RECOMBINANT)

**Eptacog alfa (activated) (rFVIIa) 1.2 mg (60 KIU), 2.4 mg (120 KIU), 4.8 mg (240 KIU)**

#### Intravenous use

Therapeutic Class:  
Antihemorrhagics,  
Blood coagulation factors

ATC code: B02BD08

Treatment of bleeding episodes and prevention of bleeding in those undergoing surgery or invasive procedures in patients with:

- Congenital haemophilia with inhibitors to coagulation factors VIII or IX > 5 Bethesda Units (BU)
- Congenital haemophilia who are expected to have a high anamnestic response to factor VIII or factor IX administration
- Acquired haemophilia
- Congenital FVII deficiency
- Glanzmann's thrombasthenia with antibodies to GP IIb – IIIa and/or HLA, and with past or present refractoriness to platelet transfusions.

Powder and solvent for solution for injection  
Glass vial

Pack size:  
1 vial of powder + 1 vial of solvent + 1 injection kit

Shelf life / Storage conditions:  
2 years at 2-8°C.



### COAGULATION FACTOR VIII (RECOMBINANT)

**Moroctocog alfa (rFVIII) 250 IU, 500 IU, 1000 IU, 2000 IU**

#### Intravenous use

Therapeutic Class:  
Antihemorrhagics,  
Blood coagulation factors

ATC code: B02BD02

Treatment and prophylaxis of bleeding in patients with haemophilia A (congenital factor VIII deficiency).

Powder and solvent for solution for injection  
Glass vial

Pack size: 1 vial of powder  
+ 1 vial of solvent  
+ 1 injection kit

Shelf life /  
Storage conditions:  
2 years at 2-8°C.





## HAEMATOLOGY

### COAGULATION FACTOR IX (RECOMBINANT)

**Nonacog alpha (rFIX) 250 IU, 500 IU, 1000 IU**

#### Intravenous use

Therapeutic Class:  
Antihemorrhagics,  
Blood coagulation factors

ATC code: B02BD04

Treatment and prophylaxis of bleedings in patients with haemophilia B (congenital factor IX deficiency).

Powder and solvent for solution for injection  
Glass vial

Pack size: 1 vial of powder  
+ 1 vial of solvent  
+ 1 injection kit

Shelf life /  
Storage conditions:  
2 years at 2-8°C.



## ONCOLOGY

### OXALIPLATINE 50 mg, 100 mg

#### Intravenous use

Therapeutic Class:  
Antineoplastic agent

ATC code: L01XA03

Treatment of metastatic colorectal and stage III (Duke's C) colon cancer in combination with 5-fluorouracil and folinic acid.

Powder for solution for infusion  
Glass vial

Pack size: 1 vial

Shelf life:  
- Climatic Zone II: 36 mths  
- Climatic Zone IV: no data



### PACLITAXEL 6 mg/ml

#### Intravenous use

Therapeutic Class:  
Antineoplastic agents (taxanes)

ATC code: L01CD01

Treatment of advanced ovarian cancer, node positive and locally advanced or metastatic breast cancer, advanced non-small cell lung carcinoma (NSCLC) and advanced AIDS-related Kaposi's sarcoma (KS).

Concentrate for solution for infusion  
5 ml (30 mg), 16.7 ml (100 mg)  
and 50 ml (300 mg) in glass vial

Pack sizes: 1 and 10 vials

Shelf life / Storage Conditions:  
- Climatic Zone II: 24 mths;  
do not store above 25°C.  
- Climatic Zone IV: 24 mths







## DIAGNOSIS

### DIASKINTEST

**CFP10-ESAT6\* 0.2 µg/0.1 ml**

**Intradermal diagnostic use**

Specific diagnosis of active tuberculosis;

Specific detection of primary Mycobacterium tuberculosis infection before active tuberculosis stage;

Assessment of the effectiveness of anti- tuberculosis treatment.

Solution for injection

Glass vial

Pack size: 1 vial

Shelf life / Storage conditions:

2 years at 2-8°C.



\* CFP10-ESAT6 is a recombinant protein produced in genetically modified Escherichia coli strain BL21 (DE3) / pCFP-ESAT



## TOPICAL

STRAGEN offers expertise in the development and production of gels and creams.



## ANTI-INFLAMMATORY

### DICLOFENAC 1 %

#### Cutaneous use

Therapeutic Class:  
Musculo-skeletal system -  
anti-inflammatory preparations,  
non-steroids for topical use

ATC code: M02AA15

Tendonitis of the upper and lower  
limbs; post-operative and  
post-traumatic oedema; symptomatic  
treatment of painful osteoarthritis of  
the fingers and knees.

Gel

Aluminium tube with 50 g and 100 g gel

Pack size: 1 tube

Shelf life:

- Climatic Zone II: 36 mths

- Climatic Zone IV: no data



## DERMATOLOGY

### ADAPALENE 1 mg/g

#### Cutaneous use

Therapeutic Class:  
Topical Retinoids for topical use  
in acne

ATC code: D10AD03

Cutaneous treatment of acne vulgaris  
in which comedones, papules and  
pustules predominate.

Cream

Aluminium tube with 30, 45, and 60 g cream

Gel

LDPE tube with 30, 45 and 60 g gel

Pack size: 1 tube

Shelf life:

- Climatic Zone II:

30 mths

- Climatic Zone IV:

no data





# STRAGEN HEADQUARTERS IN GENEVA, SWITZERLAND

## **STRAGEN PHARMA SA**

Chemin du Pré-Fleuri 3

1228 Plan-les-Ouates/Geneva - SWITZERLAND

tel +41 22 799 19 19 - fax +41 22 799 19 99

[info@stragen.ch](mailto:info@stragen.ch) - [www.stragen.ch](http://www.stragen.ch)



**STRAGEN FRANCE S.A.S.**

Bâtiment Adénine  
60 avenue Rockefeller  
69008 Lyon - FRANCE  
tel +33 4 82 53 75 82  
fax +33 4 82 53 32 25  
info@stragenfrance.com  
www.stragen.com

**STRAGEN SERVICES**

52 rue de la République  
69002 Lyon - FRANCE  
tel +33 4 78 42 95 26  
fax +33 4 78 42 55 71  
*Pharmacovigilance services:*  
pharmacovigilance@stragen.com  
*Clinical affairs services:*  
medaffaires@stragen.com  
www.stragen.ch/services



**STRAGEN UK Limited**

Castle Court  
41 London Road  
Reigate  
Surrey RH2 9RJ - ENGLAND  
tel +44 870 351 8744  
info@stragenuk.com  
www.stragenuk.com



**STRAGEN PHARMA GmbH**

TechnologiePark Köln  
Eupener Str. 135-137  
50933 Köln - DEUTSCHLAND  
tel +49-221-5716 4600  
fax +49-221-5716 4610  
info@stragen-pharma.de  
www.stragen.de



**STRAGEN NORDIC A/S**

Helsingørsgade 8 C  
3400 Hillerød - DANMARK  
tel +45 48 10 88 10  
info@stragen.dk  
www.stragen.dk



**STRAGEN FINLAND OY**

Regus Business Centre Graniitalo  
Jaakonkatu 3B, 7<sup>th</sup> floor  
00100 Helsinki - SUOMI  
tel +358 2 7360 078  
info@stragen.fi  
www.stragen.fi



**STRAGEN CANADA INC**

Suite 1140  
3300 Bloor Street West  
11<sup>th</sup> Floor  
Centre Tower  
Toronto - Ontario - CANADA M8X 2X3  
tel 416 207 2072  
www.stragen.com



**STRAGEN FARMA S.A.**

Alameda Santos 234  
9<sup>o</sup> andar  
Cerqueira Cesar  
São Paulo  
CEP 01418-000 - BRASIL  
tel +55 11 3372 50 50  
info@stragen.com  
www.stragen.com



**STRAGEN DAROU**

4<sup>th</sup> floor  
N. 82,  
31<sup>st</sup> Ebne Sina St.  
Yousef Abad  
Zip code: 1433863596  
Tehran - IRAN  
tel +9821 88 72 80 85  
fax +9821 88 10 69 63  
info@stragendarou.com  
www.stragendarou.com



**STRAGEN PHARMA (THAILAND) Co. Ltd.**

Floor 29  
Unit 29-56  
388 Exchange Tower  
Sukhumvit Road  
Klongtoey  
Bangkok 10110 - THAILAND  
www.stragen.com




**STRAGEN PHARMA SA VIETNAM**

Saigon Centre  
F/4, Room No. 23  
65 Le Loi Street  
Ben Nghe Ward  
District 1  
Ho Chi Minh - VIETNAM  
tel +66 97 139 4194  
www.stragen.vn

STRAGEN expands its international presence through a network of partners, exclusive distributors, and new affiliate offices.

**10 GLOBAL AFFILIATES**

**B2B PRESENCE IN OVER 60 COUNTRIES**



**HEADQUARTERS IN GENEVA, SWITZERLAND**

MEET US AT CPhI 2018

STRAGEN Pharma  
is pleased to meet you each year  
at the CPhI Europe.



 **CPhI**  
worldwide

**SAVE THE NEXT DATE:  
09-11 OCTOBER 2018  
MADRID, SPAIN**

PORT\_CPHI\_MAIL\_1117\_01